

 **PORTAL**
USPTO

Subscribe (Full Service) Register (Limited Service, Free) Login
 Search: The ACM Digital Library The Guide

THE ACM DIGITAL LIBRARY

 Feedback Report a problem Satisfaction survey

Terms used: verify and execute and recording and broadcast

Found 50,483 of 210,707

Sort results by Save results to a Binder
 Display results Search Tips
 Open results in a new window

Try an Advanced Search
 Try this search in The ACM Guide

Results 1 - 20 of 200

Result page: **1** [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale **1 Efficient channel allocation tree generation for data broadcasting in a mobile computing environment**

Wen-Chih Peng, Ming-Syan Chen

March 2003 **Wireless Networks**, Volume 9 Issue 2**Publisher:** Kluwer Academic PublishersFull text available:  [pdf\(237.95 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The research issue of broadcasting has attracted a considerable amount of attention in a mobile computing system. By utilizing broadcast channels, a server continuously and repeatedly broadcasts data to mobile users. These broadcast channels are also known as "broadcast disks" from which mobile users can retrieve data. Using broadcasting, mobile users can obtain the data of interest efficiently and only need to wait for the required data to present on the broadcast channel. The issue of designin ...

Keywords: broadcast disks, broadcast programs, mobile computing, multiple broadcast channels

2 A graph theoretic framework for preventing the wormhole attack in wireless ad hoc networks

Radha Poovendran, Loukas Lazos

January 2007 **Wireless Networks**, Volume 13 Issue 1**Publisher:** Kluwer Academic PublishersFull text available:  [pdf\(1.37 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Wireless ad hoc networks are envisioned to be randomly deployed in versatile and potentially hostile environments. Hence, providing secure and uninterrupted communication between the un-tethered network nodes becomes a critical problem. In this paper, we investigate the wormhole attack in wireless ad hoc networks, an attack that can disrupt vital network functions such as routing. In the wormhole attack, the adversary establishes a low-latency unidirectional or bi-directional link, such as a wir ...

Keywords: geometric random graphs, security, wireless ad hoc networks, wormhole attack

3 Fast detection of communication patterns in distributed executions

Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research CASCON '97****Publisher:** IBM Press

Full text available: [pdf\(4.21 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

4 Cryptography and data security

Dorothy Elizabeth Robling Denning
January 1982 Book

Publisher: Addison-Wesley Longman Publishing Co., Inc.

Full text available: [pdf\(19.47 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

From the Preface (See Front Matter for full Preface)

Electronic computers have evolved from exiguous experimental enterprises in the 1940s to prolific practical data processing systems in the 1980s. As we have come to rely on these systems to process and store data, we have also come to wonder about their ability to protect valuable data.

Data security is the science and study of methods of protecting data in computer and communication systems from unauthorized disclosure ...

5 Implementing sequentially consistent shared objects using broadcast and point-to-point communication

Alan Fekete, M. Frans Kaashoek, Nancy Lynch
January 1998 **Journal of the ACM (JACM)**, Volume 45 Issue 1

Publisher: ACM Press

Full text available: [pdf\(257.13 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper presents and proves correct a distributed algorithm that implements a sequentially consistent collection of shared read/update objects. This algorithm is a generalization of one used in the Orca shared object system. The algorithm caches objects in the local memory of processors according to application needs; each read operation accesses a single copy of the object, while each update accesses all copies. The algorithm uses broadcast communication when it sends messages to replic ...

Keywords: Orca programming language, distributed shared memory, formal methods, input/output automata, ordered multicast, replicated data

6 Obstacle-free geocasting protocols for single/multi-destination short message services in ad hoc networks

Chih-Yung Chang, Chao-Tsun Chang, Shin-Chih Tu
March 2003 **Wireless Networks**, Volume 9 Issue 2

Publisher: Kluwer Academic Publishers

Full text available: [pdf\(440.59 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Mobile ad hoc networks (MANET) comprise mobile hosts in a network bereft of base stations and characterized by a highly dynamic network topology. The MANET environment contains unpredictable obstacles, such as mountains, lakes, buildings, or regions without any hosts, impeding or blocking message relay. This study proposes geocasting protocols for sending short message from a source host to single or multiple geocasting regions in ad hoc networks. The proposed protocols keep messages away from u ...

Keywords: ad hoc network, cellular-based management, flooding overhead, geocasting, obstacle, short message

7 Interleaved hop-by-hop authentication against false data injection attacks in sensor networks

 Sencun Zhu, Sanjeev Setia, Sushil Jajodia, Peng Ning
August 2007 **ACM Transactions on Sensor Networks (TOSN)**, Volume 3 Issue 3

Publisher: ACM Press

Full text available:  pdf(369.71 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Sensor networks are often deployed in unattended environments, thus leaving these networks vulnerable to *false data injection attacks* in which an adversary injects false data into the network with the goal of deceiving the base station or depleting the resources of the relaying nodes. Standard authentication mechanisms cannot prevent this attack if the adversary has compromised one or a small number of sensor nodes. We present three interleaved hop-by-hop authentication schemes that gu ...

Keywords: Authentication, filtering false data, interleaved hop-by-hop, sensor networks

8 Session 4: static analysis: Using model checking with symbolic execution to verify parallel numerical programs

 Stephen F. Siegel, Anastasia Mironova, George S. Avrunin, Lori A. Clarke
July 2006 **Proceedings of the 2006 international symposium on Software testing and analysis ISSTA '06**

Publisher: ACM Press

Full text available:  pdf(193.50 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present a method to verify the correctness of parallel programs that perform complex numerical computations, including computations involving floating-point arithmetic. The method requires that a sequential version of the program be provided, to serve as the specification for the parallel one. The key idea is to use model checking, together with symbolic execution, to establish the equivalence of the two programs.

Keywords: MPI, concurrency, finite state verification, floating-point, high performance computing, message passing interface, model checking, numerical program, parallel programming, spin, symbolic execution

9 Software verification: Towards security monitoring patterns

 George Spanoudakis, Christos Kloukinas, Kelly Androutsopoulos
March 2007 **Proceedings of the 2007 ACM symposium on Applied computing SAC '07**

Publisher: ACM Press

Full text available:  pdf(135.46 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Runtime monitoring is performed during system execution to detect whether the system's behaviour deviates from that described by requirements. To support this activity we have developed a monitoring framework that expresses the requirements to be monitored in event calculus - a formal temporal first order language. Following an investigation of how this framework could be used to monitor security requirements, in this paper we propose patterns for expressing three basic types of such requirem ...

Keywords: event calculus, runtime monitoring, security patterns

10 Dynamic leveling: adaptive data broadcasting in a mobile computing environment

Wen-Chih Peng, Jiun-Long Huang, Ming-Syan Chen
August 2003 **Mobile Networks and Applications**, Volume 8 Issue 4

Publisher: Kluwer Academic Publishers

Full text available:  pdf(185.70 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The research issue of broadcasting has attracted a considerable amount of attention in a mobile computing system. By utilizing broadcast channels, a server is able to continuously and repeatedly broadcast data to mobile users. From these broadcast channels, mobile users obtain the data of interest efficiently and only need to wait for the required data to be present on the broadcast channel. Given the access frequencies of data items, one can design proper data allocation in the broadcast channel ...

Keywords: broadcast disks, broadcast programs, mobile computing, multiple broadcast channels

11 Empirical performance evaluation of concurrency and coherency control protocols for database sharing systems 

 Erhard Rahm

June 1993 **ACM Transactions on Database Systems (TODS)**, Volume 18 Issue 2

Publisher: ACM Press

Full text available:  pdf(3.37 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Database Sharing (DB-sharing) refers to a general approach for building a distributed high performance transaction system. The nodes of a DB-sharing system are locally coupled via a high-speed interconnect and share a common database at the disk level. This is also known as a "shared disk" approach. We compare database sharing with the database partitioning (shared nothing) approach and discuss the functional DBMS components that require new and coordinated solutions for DB-shar ...

Keywords: coherency control, concurrency control, database partitioning, database sharing, performance analysis, shared disk, shared nothing, trace-driven simulation

12 Physical privacy: Privacy management for portable recording devices 

 J. Alex Halderman, Brent Waters, Edward W. Felten

October 2004 **Proceedings of the 2004 ACM workshop on Privacy in the electronic society WPES '04**

Publisher: ACM Press

Full text available:  pdf(321.69 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The growing popularity of inexpensive, portable recording devices, such as cellular phone cameras and compact digital audio recorders, presents a significant new threat to privacy. We propose a set of technologies that can be integrated into recording devices to provide stronger, more accurately targeted privacy protections than other legal and technical measures now under consideration. Our design is based on an informed consent principle, which it supports by the use of novel devices and pr ...

Keywords: camera phones, privacy, recording devices

13 On the time complexity of broadcast communication schemes (Preliminary Version) 

 Albert G. Greenberg

May 1982 **Proceedings of the fourteenth annual ACM symposium on Theory of computing STOC '82**

Publisher: ACM Press

Full text available:  pdf(661.46 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

In this paper, we investigate the power of such broadcast in solving a paradigmatic problem in distributed computing. Imagine a network in which each node machine N_i ($1 \leq i \leq n$) keeps a Boolean value v_i in local memory. The v_i 's determine a set $S = \{i : v_i = \text{true}\}$. The non-emptiness problem on n nodes is to find some i in S , or else find that S is empty. In practice, a problem of this type arri ...

14 Fast algorithms for universal quantification in large databases Goetz Graefe, Richard L. ColeJune 1995 **ACM Transactions on Database Systems (TODS)**, Volume 20 Issue 2**Publisher:** ACM PressFull text available:  pdf(3.51 MB)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Universal quantification is not supported directly in most database systems despite the fact that it adds significant power to a system's query processing and inference capabilities, in particular for the analysis of many-to-many relationships and of set-valued attributes. One of the main reasons for this omission has been that universal quantification algorithms and their performance have not been explored for large databases. In this article, we describe and compare three known algorithms ...

15 On the composition of authenticated Byzantine Agreement Yehuda Lindell, Anna Lysyanskaya, Tal RabinNovember 2006 **Journal of the ACM (JACM)**, Volume 53 Issue 6**Publisher:** ACM PressFull text available:  pdf(415.67 KB)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

A fundamental problem of distributed computing is that of simulating a secure broadcast channel, within the setting of a point-to-point network. This problem is known as Byzantine Agreement (or Generals) and has been the focus of much research. Lamport et al. [1982] showed that in order to achieve Byzantine Agreement in the plain model, more than two thirds of the participating parties must be honest. They further showed that by augmenting the network with a public-key infrastructure for digital ...

Keywords: Authenticated Byzantine Agreement, lower bounds, protocol composition, randomized protocols

16 A survey of rollback-recovery protocols in message-passing systems E. N. (Mootaz) Elnozahy, Lorenzo Alvisi, Yi-Min Wang, David B. JohnsonSeptember 2002 **ACM Computing Surveys (CSUR)**, Volume 34 Issue 3**Publisher:** ACM PressFull text available:  pdf(549.68 KB)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

This survey covers rollback-recovery techniques that do not require special language constructs. In the first part of the survey we classify rollback-recovery protocols into *checkpoint-based* and *log-based*. *Checkpoint-based* protocols rely solely on checkpointing for system state restoration. Checkpointing can be coordinated, uncoordinated, or communication-induced. *Log-based* protocols combine checkpointing with logging of nondeterministic events, encoded in tuples call ...

Keywords: message logging, rollback-recovery

17 Trust but verify: accountability for network services Aydan R. Yumerefendi, Jeffrey S. ChaseSeptember 2004 **Proceedings of the 11th workshop on ACM SIGOPS European workshop: beyond the PC EW11****Publisher:** ACM PressFull text available:  pdf(132.49 KB)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

This paper promotes *accountability* as a central design goal for dependable networked systems. We define three properties for accountable systems that extend beyond the basic security properties of authentication, privacy, and integrity. These accountability properties reduce the vulnerability of network services to subversion, tampering, corruption, and abuse. For example, actions taken in accountable systems and their clients

are provable or even legally binding, to support contractual r ...

18 Distributed, object-based programming systems

 Roger S. Chin, Samuel T. Chanson
March 1991 **ACM Computing Surveys (CSUR)**, Volume 23 Issue 1

Publisher: ACM Press

Full text available:  pdf(2.97 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The development of distributed operating systems and object-based programming languages makes possible an environment in which programs consisting of a set of interacting modules, or objects, may execute concurrently on a collection of loosely coupled processors. An object-based programming language encourages a methodology for designing and creating a program as a set of autonomous components, whereas a distributed operating system permits a collection of workstations or personal computers ...

Keywords: capability scheme, distributed operating systems, error recovery, method invocation, nested transaction, object model, object reliability, object-based programming languages, processor allocation, resource management, synchronization, transaction

19 Classics in software engineering

January 1979 Divisible Book

Publisher: Yourdon Press

Additional Information: [full citation](#), [cited by](#), [index terms](#)

20 201 principles of software development

Alan M. Davis
January 1995 Book

Publisher: McGraw-Hill, Inc.

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#), [review](#)

From the Preface

If software engineering is really an engineering discipline, it is the intelligent application of proven principles, techniques, languages, and tools to the cost-effective creation and maintenance of software that satisfies users' needs. This book is the first collection of software engineering principles ever written in one volume. A principle is a basic truth, rule, or assumption about software engineering that holds regardless of the technique, tool, or ...

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) | [Sitemap](#) | [Help](#)

Welcome United States Patent and Trademark Office

 Guest Search Results[BROWSE](#)[SEARCH](#)[IEEE XPORE GUIDE](#)[SUPPORT](#)

Results for "(verify and broadcast and record) <in> metadata"

Your search matched 12 of 1643271 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

 [e-mail](#) [printer friendly](#)

Article Information

Login

Username

Password

» [Forgot your password?](#)

Please remember to log out
when you have finished your
session.

» Key



Indicates full text access

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

1. **MF AM antenna radiation pattern verification method by near field measurements**
Stangl, N.;
Broadcasting, IEEE Transactions on
Volume 47, Issue 3, Sept. 2001 Page(s):285 - 291
Digital Object Identifier 10.1109/11.969377

[Abstract](#) | [Full Text: PDF\(335 KB\)](#) | [IEEE JNL](#)
[Rights and Permissions](#)
2. **Meaningful scene filtering for TV terminals**
Sung Ho Jin; Jun Ho Cho; Yong Man Ro; Hub Woo Hong;
Consumer Electronics, 2006. ICCE '06. 2006 Digest of Technical Papers. International Conference on
7-11 Jan. 2006 Page(s):405 - 406
Digital Object Identifier 10.1109/ICCE.2006.1598482

[Abstract](#) | [Full Text: PDF\(136 KB\)](#) | [IEEE CNF](#)
[Rights and Permissions](#)
3. **Iterative multiuser receiver for multiresolution broadcasting**
Ibars, C.; Pfletschinger, S.;
Signals, Systems and Computers, 2004. Conference Record of the Thirty-Eighth Asilomar Conference on
Volume 1, 7-10 Nov. 2004 Page(s):1101 - 1104 Vol.1
Digital Object Identifier 10.1109/ACSSC.2004.1399311

[Abstract](#) | [Full Text: PDF\(581 KB\)](#) | [IEEE CNF](#)
[Rights and Permissions](#)
4. **A fault-tolerant distributed subcube management scheme for hypercube multicomputer systems**
Chen, Y.-L.; Liu, J.-C.;
Parallel and Distributed Systems, IEEE Transactions on
Volume 6, Issue 7, July 1995 Page(s):766 - 772
Digital Object Identifier 10.1109/71.395406

[Abstract](#) | [Full Text: PDF\(616 KB\)](#) | [IEEE JNL](#)
[Rights and Permissions](#)
5. **A combined method for maintaining large indices in multiprocessor multidisk environments**
Matsliach, G.; Shmueli, O.;
Knowledge and Data Engineering, IEEE Transactions on
Volume 6, Issue 3, June 1994 Page(s):479 - 496
Digital Object Identifier 10.1109/69.334867

[Abstract](#) | [Full Text: PDF\(1608 KB\)](#) | [IEEE JNL](#)
[Rights and Permissions](#)
6. **Automatic detection of TV commercials**
Satterwhite, B.; Marques, O.;
Potentials, IEEE
Volume 23, Issue 2, Apr-May 2004 Page(s):9 - 12
Digital Object Identifier 10.1109/MP.2004.1309790

[Abstract](#) | [Full Text: PDF\(453 KB\)](#) | [IEEE JNL](#)
[Rights and Permissions](#)

7. **Virtual camerawork for generating lecture video from high resolution images**
Yokoi, T.; Fujiyoshi, H.;
Multimedia and Expo, 2005. ICME 2005. IEEE International Conference on
6-8 July 2005 Page(s):4 pp.
Digital Object Identifier 10.1109/ICME.2005.1521532
[Abstract](#) | Full Text: [PDF\(584 KB\)](#) IEEE CNF
[Rights and Permissions](#)
8. **Digital watermarks for audio integrity verification**
Petrovic, R.;
Telecommunications in Modern Satellite, Cable and Broadcasting Services, 2005. 7th International Conference on
Volume 1, 28-30 Sept. 2005 Page(s):215 - 220 vol. 1
Digital Object Identifier 10.1109/TELSKS.2005.1572095
[Abstract](#) | Full Text: [PDF\(1112 KB\)](#) IEEE CNF
[Rights and Permissions](#)
9. **Hierarchical video-on-demand servers for TV-anytime services**
Luling, R.;
Computer Communications and Networks, 1999. Proceedings, Eight International Conference on
11-13 Oct. 1999 Page(s):110 - 117
Digital Object Identifier 10.1109/ICCCN.1999.805504
[Abstract](#) | Full Text: [PDF\(592 KB\)](#) IEEE CNF
[Rights and Permissions](#)
10. **Throughput-delay analysis of a multi-channel packet CDMA scheme in a fading environment**
Weiping Xu; Chockalingam, A.; Milstein, L.B.;
Universal Personal Communications Record, 1997. Conference Record., 1997 IEEE 6th International Conference on
12-16 Oct. 1997 Page(s):183 - 187 vol.1
Digital Object Identifier 10.1109/ICUPC.1997.625534
[Abstract](#) | Full Text: [PDF\(580 KB\)](#) IEEE CNF
[Rights and Permissions](#)
11. **A Critical Study of Two Broadcast Antennas**
Smith, C.E.;
Proceedings of the IRE
Volume 24, Issue 10, Oct. 1936 Page(s):1329 - 1341
[Abstract](#) | Full Text: [PDF\(2544 KB\)](#) IEEE JNL
[Rights and Permissions](#)
12. **A visual feature based video identifying system for the TV commercial's monitoring**
Sung Hwan Lee; Won Young Yoo; Young Suk Yoon;
Advanced Communication Technology, 2006. ICACT 2006. The 8th International Conference
Volume 1, 20-22 Feb. 2006 Page(s):4 pp.
[Abstract](#) | Full Text: [PDF\(1864 KB\)](#) IEEE CNF
[Rights and Permissions](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)
[Sign in](#)**Google**

verify and broadcast and execute

[Advanced Search Preferences](#)The "AND" operator is unnecessary -- we include all search [news](#) [view](#) [default](#) [manage](#) [details] [your web history](#)**Web**Results 1 - 10 of about 1,050,000 for **verify and broadcast and execute** . (0.11 seconds)**[doc] FLIGHT SOFTWARE TEST PLAN**File Format: Microsoft Word - [View as HTML](#)Verify proper maintenance mode packet format. 2. Execute a block upload. ... Verify imaging pixel data. 4. Verify response to broadcast messages. ...
guvi.jhuapl.edu/documents/msword/guvifst/guvifst.doc - [Similar pages](#)**Gentoo Linux Documentation -- Configuring your Network**To assign an IP address, you will need your IP address, **broadcast** address and netmask.Then **execute** the following command, substituting \${IP_ADDR} with your ...www.gentoo.org/doc/en/handbook/handbook-x86.xml?part=1&chap=3 - 38k -[Cached](#) - [Similar pages](#)**perf(1M)**Variable length output argument, client 2 host passes calls/pass **verify**? idempotent? nbytes. **Broadcast**, client 3 family. Maybe, client 4 host ...www.docs.hp.com/en/B2355-90129/perf.1M.html - 32k - [Cached](#) - [Similar pages](#)**SHOWNODE**When you **broadcast** or **execute** a command on a list, you **execute** the command ... andH. We will now use the SHOWLIST command to **verify** that we correctly added ...www.docs.hp.com/en/36920-90008/ch08s09.html - 25k - [Cached](#) - [Similar pages](#)[[More results from www.docs.hp.com](#)]**mod_backhand: use your resources**After it has begun **broadcasting**, check your modbackhand server to **verify** that it is receiving the broadcasts from NT BH Broadcaster. ...www.backhand.org/mod_backhand/ntbhb-readme.shtml - 16k - [Cached](#) - [Similar pages](#)**O'Reilly - Safari Books Online - 0130352098 - HP OpenView System ...**30. Test action execution. Use command **broadcast** and run a command (i.e. hostname), If successful actions work in general. 31 **Verify** agent status ...
safari.oreilly.com/0130352098/ch22lev1sec2 - [Similar pages](#)**Parallel Environment for AIX 5L V4.3 Installation - Broadcast test ...**The purpose of this sample is to perform a **broadcast** from task 0 to the rest of the nodes ...**VERIFY**: your output by comparing it with the following output. ...publib.boulder.ibm.com/infocenter/clresctr/vrx/topic/com.ibm.cluster.pe.doc/pe_43/am101a0562.html - 9k - [Cached](#) - [Similar pages](#)**Roku Forums :: View topic - Problem (SOLVED): Cannot access shared ...**I plan to **verify** my **broadcast** address(s) via my DHCP. 2- I read somewhere that Norton Internet ... Can you run 'free' before you **execute** the command? ...
forums.rokulabs.com/viewtopic.php?t=370 - 82k - [Cached](#) - [Similar pages](#)**[CBJOB] FW: Broadcast-jobs digest, Vol 1 #392 - 6 msgs**This position will be responsible for helping to **execute** UNC-TV's multiple digital ... satisfactory evidence to **verify** employability and identification. ...<https://mailman.rice.edu/pipermail/cbjob/2004-October/000434.html> - 16k -[Cached](#) - [Similar pages](#)**[PDF] OCRed document**and **verify** the conjecture that bus bandwidth is not 8. then **broadcast** actions that<http://www.google.com/search?sourceid=navclient&ie=UTF-8&rls=GGLD,GGLD:2004-30,GGLD:en&q...> 9/16/07

change, shared WMEs. 9. **execute** actions that change, shared WMEs ...
ieeexplore.ieee.org/iel2/3156/8974/00395860.pdf?arnumber=395860 - [Similar pages](#)

1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more](#) ·[Sign in](#)[Advanced Search Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default [details] [View your default search terms](#) [Manage your web history](#)

Web

Results 1 - 10 of about 1,050,000 for **verify and broadcast and execute** . (0.11 seconds)

[doc] **FLIGHT SOFTWARE TEST PLAN**

File Format: Microsoft Word - [View as HTML](#)

Verify proper maintenance mode packet format. 2. **Execute** a block upload. ... **Verify** imaging pixel data. 4. **Verify** response to **broadcast** messages. ...
guvi.jhuapl.edu/documents/msword/guvifst/guvifst.doc - [Similar pages](#)

Gentoo Linux Documentation -- Configuring your Network

To assign an IP address, you will need your IP address, **broadcast** address and netmask. Then **execute** the following command, substituting \${IP_ADDR} with your ...
www.gentoo.org/doc/en/handbook/handbook-x86.xml?part=1&chap=3 - 38k - [Cached](#) - [Similar pages](#)

perf(1M)

Variable length output argument, client 2 host passes calls/pass **verify**? idempotent?
nbytes. **Broadcast**, client 3 family. Maybe, client 4 host ...
www.docs.hp.com/en/B2355-90129/perf.1M.html - 32k - [Cached](#) - [Similar pages](#)

SHOWNODE

When you **broadcast** or **execute** a command on a list, you **execute** the command ... and H. We will now use the SHOWLIST command to **verify** that we correctly added ...
www.docs.hp.com/en/36920-90008/ch08s09.html - 25k - [Cached](#) - [Similar pages](#)
[More results from www.docs.hp.com]

mod_backhand: use your resources

After it has begun **broadcasting**, check your modbackhand server to **verify** that it is receiving the broadcasts from NT BH Broadcaster. ...
www.backhand.org/mod_backhand/ntbhb-readme.shtml - 16k - [Cached](#) - [Similar pages](#)

O'Reilly - Safari Books Online - 0130352098 - HP OpenView System ...

30. Test action execution. Use command **broadcast** and run a command (i.e. hostname), If successful actions work in general. 31 **Verify** agent status ...
safari.oreilly.com/0130352098/ch22lev1sec2 - [Similar pages](#)

Parallel Environment for AIX 5L V4.3 Installation - Broadcast test ...

The purpose of this sample is to perform a **broadcast** from task 0 to the rest of the nodes ...
VERIFY: your output by comparing it with the following output. ...
publib.boulder.ibm.com/infocenter/clresctr/vxrx/topic/com.ibm.cluster.pe.doc/pe_43/am101a0562.html - 9k - [Cached](#) - [Similar pages](#)

Roku Forums :: View topic - Problem (SOLVED): Cannot access shared ...

I plan to **verify** my **broadcast** address(s) via my DHCP. 2- I read somewhere that Norton Internet ... Can you run 'free' before you **execute** the command? ...
forums.rokulabs.com/viewtopic.php?t=370 - 82k - [Cached](#) - [Similar pages](#)

[CBJOB] FW: Broadcast-jobs digest, Vol 1 #392 - 6 msgs

This position will be responsible for helping to **execute** UNC-TV's multiple digital ... satisfactory evidence to **verify** employability and identification. ...
<https://mailman.rice.edu/pipermail/cbjob/2004-October/000434.html> - 16k - [Cached](#) - [Similar pages](#)

[PDF] OCRed document

and **verify** the conjecture that bus bandwidth is not 8. then **broadcast** actions that

change. shared WMEs. 9. **execute** actions that change. shared WMEs ...
ieeexplore.ieee.org/iel2/3156/8974/00395860.pdf?arnumber=395860 - Similar pages

1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	36	record\$4 same (identify\$4 adj information) same verify\$4 same process\$4	USPAT	OR	ON	2007/09/16 14:05
L2	11	record\$4 same (identify\$4 adj information) same verify\$4 and process\$4 and serial and password	USPAT	OR	ON	2007/09/16 14:05
L3	1	(network adj managment adj server)	USPAT	OR	ON	2007/09/16 14:05
L4	11	record\$4 same (identify\$4 adj information)and verify\$4 and process\$4 and serial and password and control\$4 and 709/2\$\$.ccls. and network	USPAT	OR	ON	2007/09/16 14:05
L5	19	(management adj server)and broadcast and storage and (serial adj number) and (television or tv)	USPAT	OR	ON	2007/09/16 14:05
L6	6	(network adj server)and (identify\$4 adj information) and verify\$4 and (serial adj number) and equipment and 709/2\$\$.ccls.	USPAT	OR	ON	2007/09/16 14:05
L7	6	client and server and record\$4 same (identify\$4 adj information)and verify\$4 and process\$4 and serial and password and control\$4 and 709/2\$\$.ccls.	USPAT	OR	ON	2007/09/16 14:05
L8	148	(network adj server) same database and broadcast\$4 and 709/2\$\$.ccls.	USPAT	OR	ON	2007/09/16 14:05
L9	66	(management adj server)and broadcast and storage and (serial adj number)	USPAT	OR	ON	2007/09/16 14:06
L10	1	@ad<"20001130" and(management adj server)and (broadcast)and (television or tv) and (information adj record\$3) and (serial adj number) and identif\$4 and profile	USPAT	OR	ON	2007/09/16 14:06
L11	6	record\$4 same (identify\$4 adj information)and verify\$4 and process\$4 and serial and password and control\$4 and 709/2\$\$.ccls. and client same server	USPAT	OR	ON	2007/09/16 14:06
L12	441	(network adj server) same database and broadcast\$4	USPAT	OR	ON	2007/09/16 14:06
L13	24415	SONY-CORPORATION.as.(network adj server) same database and broadcast\$4	USPAT	OR	ON	2007/09/16 14:07

EAST Search History

L14	23983	SONY-CORPORATION.as. (andnetwork adj server) same database and broadcast\$4	USPAT	OR	ON	2007/09/16 14:07
L15	441	"SONY-CORPORATION.as. and"(network adj server) same database and broadcast\$4	USPAT	OR	ON	2007/09/16 14:07
L16	9	SONY-CORPORATION.as. and(network adj server) same database and broadcast\$4	USPAT	OR	ON	2007/09/16 14:07
L17	0	SONY-CORPORATION.as. and(network adj server) same database and broadcast\$4 and verify	USPAT	OR	ON	2007/09/16 14:08
L18	0	MAEDA-SATORU.in. and(network adj server) same database and broadcast\$4 and verify	USPAT	OR	ON	2007/09/16 14:08
L19	0	YOSHIKAWA-MUNEHIRO.in. and(network adj server) same database and broadcast\$4 and verify	USPAT	OR	ON	2007/09/16 14:08
L20	0	TANI-NOBUTAKA.in. and(network adj server) same database and broadcast\$4 and verify	USPAT	OR	ON	2007/09/16 14:09
L21	0	OKAZAKI-SHINJI.in. and(network adj server) same database and broadcast\$4 and verify	USPAT	OR	ON	2007/09/16 14:09
L22	0	YOTSUMOTO-NATSUKO.in. and(network adj server) same database and broadcast\$4 and verify	USPAT	OR	ON	2007/09/16 14:10
L23	0	ASAII-MASAHIRO.in. and(network adj server) same database and broadcast\$4 and verify	USPAT	OR	ON	2007/09/16 14:10
L24	0	UCHIDA-MAMI.in. and(network adj server) same database and broadcast\$4 and verify	USPAT	OR	ON	2007/09/16 14:10
L25	0	MIURA-TAKAAKI.in. and(network adj server) same database and broadcast\$4 and verify	USPAT	OR	ON	2007/09/16 14:10
L26	0	TAKATA-KATSUHISA.in. and(network adj server) same database and broadcast\$4 and verify	USPAT	OR	ON	2007/09/16 14:11
L27	0	TAKATA-KATSUHISA.in. and(network adj server) same database and broadcast\$4 and verify	US-PGPUB; USPAT	OR	ON	2007/09/16 14:11

EAST Search History

S50 0	50	record\$4 same identify\$4 adj information same verify\$4	USPAT	OR	ON	2005/11/04 16:03
S50 1	17024	record\$4 same identify\$4 adj information same verify\$4 709/2\$\$.ccls.	USPAT	OR	ON	2005/01/08 16:21
S50 2	0	record\$4 same identify\$4 adj information same verify\$4 and 709/2\$\$.ccls.	USPAT	OR	ON	2005/01/08 16:21
S50 3	50	record\$4 same (identify\$4 adj information) same verify\$4	USPAT	OR	ON	2005/01/08 16:21
S50 4	49	record\$4 same (identify\$4 adj information) same verify\$4 and process\$4	USPAT	OR	ON	2005/01/08 16:22
S50 5	25	record\$4 same (identify\$4 adj information) same verify\$4 same process\$4	USPAT	OR	ON	2005/01/08 16:22
S50 6	0	record\$4 same (identify\$4 adj information) same verify\$4 same process\$4 and "709"".2"\$\$.ccls.	USPAT	OR	ON	2005/01/08 16:22
S50 7	0	record\$4 same (identify\$4 adj information) same verify\$4 same process\$4 and 709/2\$\$.ccls.	USPAT	OR	ON	2005/01/08 16:22
S50 8	10	record\$4 same (identify\$4 adj information) same verify\$4 same process\$4 and serial	USPAT	OR	ON	2005/01/08 16:23
S50 9	4	record\$4 same (identify\$4 adj information) same verify\$4 same process\$4 and serial and password	USPAT	OR	ON	2005/01/08 16:23
S51 0	5	record\$4 same (identify\$4 adj information) same verify\$4 and process\$4 and serial and password	USPAT	OR	ON	2005/01/08 16:28
S51 1	84	record\$4 same (identify\$4 adj information) and verify\$4 and process\$4 and serial and password and control\$4	USPAT	OR	ON	2005/01/08 16:28
S51 2	9	record\$4 same (identify\$4 adj information) and verify\$4 and process\$4 and serial and password and control\$4 and 709/2\$\$.ccls.	USPAT	OR	ON	2005/01/08 16:28
S51 3	9	record\$4 same (identify\$4 adj information) and verify\$4 and process\$4 and serial and password and control\$4 and 709/2\$\$.ccls. and network	USPAT	OR	ON	2005/01/08 16:31

EAST Search History

S51 4	4	record\$4 same (identify\$4 adj information)and verify\$4 and process\$4 and serial and password and control\$4 and 709/2\$\$.ccls. and client same server	USPAT	OR	ON	2005/01/08 16:32
S51 5	4	client and server and record\$4 same (identify\$4 adj information)and verify\$4 and process\$4 and serial and password and control\$4 and 709/2\$\$.ccls.	USPAT	OR	ON	2005/01/08 16:33
S51 6	0	(network adj managment adj server) and (identify\$4 adj information) and verify\$4 and (serial adj number)	USPAT	OR	ON	2005/01/08 16:34
S51 7	1	(network adj managment adj server)	USPAT	OR	ON	2005/01/08 16:35
S51 8	7530	(network adj server)	USPAT	OR	ON	2005/01/08 16:35
S51 9	36	(network adj server)and (identify\$4 adj information) and verify\$4 and (serial adj number)	USPAT	OR	ON	2005/01/08 16:35
S52 0	15	(network adj server)and (identify\$4 adj information) and verify\$4 and (serial adj number) and equipment	USPAT	OR	ON	2005/01/08 16:38
S52 1	3	(network adj server)and (identify\$4 adj information) and verify\$4 and (serial adj number) and equipment and 709/2\$\$.ccls.	USPAT	OR	ON	2005/01/27 08:45
S52 2	9	(network adj server)same database same process\$4 same broadcast\$4	USPAT	OR	ON	2005/01/27 08:48
S52 3	3	(management adj server)same database same process\$4 same broadcast\$4	USPAT	OR	ON	2005/01/27 08:48
S52 4	20	(network adj2 server)same database same process\$4 same broadcast\$4	USPAT	OR	ON	2005/01/27 11:05
S52 5	0	(network adj2 server)same database same process\$4 same (broadcast\$4 adj device)	USPAT	OR	ON	2005/01/27 11:06
S52 6	266	(network adj server) same database and broadcast\$4	USPAT	OR	ON	2005/01/27 11:07
S52 7	101	(network adj server) same database and broadcast\$4 and 709/2\$\$.ccls.	USPAT	OR	ON	2005/01/27 11:07
S52 8	39	(network adj server) same database and broadcast\$4 and 709/2\$\$.ccls. and verify\$4	USPAT	OR	ON	2005/01/27 11:08

EAST Search History

S52 9	1	("6345288").PN.	USPAT	OR	OFF	2005/01/28 09:55
S53 0	127	(network adj management adj server)	USPAT	OR	ON	2005/11/04 16:03
S53 1	0	(network adj management adj server) same client same broadcast same storage	USPAT	OR	ON	2005/11/04 16:04
S53 2	0	(network adj management adj server)same broadcast same storage	USPAT	OR	ON	2005/11/04 16:04
S53 3	2	(network adj management adj server)and broadcast same storage	USPAT	OR	ON	2005/11/04 16:04
S53 4	0	(network adj management adj server)and broadcast same (storage and serial adj number)	USPAT	OR	ON	2005/11/04 16:05
S53 5	0	(network adj management adj server)and broadcast same storage and (serial adj number)	USPAT	OR	ON	2005/11/04 16:05
S53 6	0	(network adj management adj server)and broadcast and (television or tvs) and storage and (serial adj number)	USPAT	OR	ON	2005/11/04 16:06
S53 7	3	(network adj management adj server)and broadcast and storage and (serial adj number)	USPAT	OR	ON	2005/11/04 16:07
S53 8	36	(management adj server)and broadcast and storage and (serial adj number)	USPAT	OR	ON	2005/11/04 16:07
S53 9	13	(management adj server)and broadcast and storage and (serial adj number) and (television or tv)	USPAT	OR	ON	2005/11/04 16:08
S54 0	9	@ad<"20001130" and(management adj server)and broadcast and storage and (serial adj number) and (television or tv)	USPAT	OR	ON	2005/11/04 16:43
S54 1	2	@ad<"20001130" and(management adj server)and (broadcast adj station) and storage and (serial adj number) and (television or tv)	USPAT	OR	ON	2005/11/04 16:44
S54 2	0	@ad<"20001130" and(management adj server)and (broadcast adj station) and storage and (serial adj number) and (television or tv) and (user adj profile)	USPAT	OR	ON	2005/11/04 16:45

EAST Search History

S54 3	0	@ad<"20001130" and(management adj server)and (broadcast adj station) and (serial adj number) and (television or tv) and (user adj profile)	USPAT	OR	ON	2005/11/04 16:46
S54 4	2	@ad<"20001130" and(management adj server)and (broadcast) and (serial adj number) and (television or tv) and (user adj profile)	USPAT	OR	ON	2005/11/04 16:51
S54 5	2	@ad<"20001130" and(management adj server)and (broadcast) and (serial adj number) and (television or tv) and (user adj profile)	USPAT	OR	ON	2005/11/04 16:51
S54 6	24	@ad<"20001130" and(management adj server)and (broadcast)and (television or tv) and (user adj profile)	USPAT	OR	ON	2005/11/04 16:53
S54 7	93	@ad<"20001130" and(management adj server)and (broadcast)and (television or tv) and identif\$4	USPAT	OR	ON	2005/11/04 16:53
S54 8	10	@ad<"20001130" and(management adj server)and (broadcast)and (television or tv) and (serial adj number) and identif\$4	USPAT	OR	ON	2005/11/04 16:53
S54 9	8	@ad<"20001130" and(management adj server)and (broadcast)and (television or tv) and storage and (serial adj number) and identif\$4	USPAT	OR	ON	2005/11/04 16:56
S55 0	5	@ad<"20001130" and(management adj server)and (broadcast)and (television or tv) and storage and (serial adj number) and identif\$4 and register\$4	USPAT	OR	ON	2005/11/04 16:59
S55 1	5	@ad<"20001130" and(management adj server)and (broadcast)and (television or tv) and record\$3 and (serial adj number) and identif\$4 and register\$4	USPAT	OR	ON	2005/11/04 17:17
S55 2	5	@ad<"20001130" and(management adj server)and (broadcast)and (television or tv) and (record\$3 or storage) and (serial adj number) and identif\$4 and register\$4	USPAT	OR	ON	2005/11/04 16:59
S55 3	2	@ad<"20001130" and(management adj server)and (broadcast)and (television or tv) and (information adj (record\$3 or storage)) and (serial adj number) and identif\$4 and register\$4	USPAT	OR	ON	2005/11/04 17:01

EAST Search History

S55 4	2	@ad<"20001130" and(management adj server)and (broadcast)and (television or tv) and (information adj record\$3) and (serial adj number) and identif\$4 and register\$4	USPAT	OR	ON	2005/11/04 17:01
S55 5	2	@ad<"20001130" and(management adj server)and (broadcast)and (television or tv) and (information adj record\$3) and (serial adj number) and identif\$4	USPAT	OR	ON	2005/11/04 17:01
S55 6	0	@ad<"20001130" and(management adj server)and (broadcast adj station)and (television or tv) and (information adj record\$3) and (serial adj number) and identif\$4	USPAT	OR	ON	2005/11/04 17:01
S55 7	1	@ad<"20001130" and(management adj server)and (broadcast)and (television or tv) and (information adj record\$3) and (serial adj number) and identif\$4 and profile	USPAT	OR	ON	2005/11/04 17:02
S55 8	1	@ad<"20001130" and(management adj server)and (broadcast)and (television or tv) and (information adj record\$3) same control\$4 and (serial adj number) and identif\$4 and (user adj profile) and verify\$3	USPAT	OR	ON	2005/11/04 17:05
S55 9	1	@ad<"20001130" and(management adj server)and (broadcast)and (information adj record\$3) same control\$4 and (serial adj number) and identif\$4 and (user adj profile) and verify\$3	USPAT	OR	ON	2005/11/04 17:06
S56 0	1	@ad<"20001130" and client and (management adj server)and (broadcast)and (information adj record\$3) same control\$4 and (serial adj number) and identif\$4 and (user adj profile) and verify\$3	USPAT	OR	ON	2005/11/04 17:08
S56 1	1	@ad<"20001130" and client and (management adj server)and(information adj record\$3) same control\$4 and (serial adj number) and identif\$4 and (user adj profile) and verify\$3 same transmit\$3	USPAT	OR	ON	2005/11/04 17:09

EAST Search History

S56 2	0	@ad<"20001130" and client and (network adj management adj server)and(information adj record\$3) same control\$4 and (serial adj number) and identif\$4 and (user adj profile) and verify\$3 same transmit\$3	USPAT	OR	ON	2005/11/04 17:09
S56 3	0	@ad<"20001130" and client and (management adj server)and(information adj record\$3) same (storage adj control\$4)and identif\$4 and (user adj profile) and verify\$3 same transmit\$3	USPAT	OR	ON	2005/11/04 17:10
S56 4	0	@ad<"20001130" and client and (management adj server) and record\$3 same (storage adj control\$4)and identif\$4 and (user adj profile) and verify\$3 same transmit\$3	USPAT	OR	ON	2005/11/04 17:11
S56 5	0	@ad<"20001130" and client and (management adj server) and record\$3 same (storage adj control\$4)and identif\$4 and verify\$3 same transmit\$3	USPAT	OR	ON	2005/11/04 17:11
S56 6	0	@ad<"20001130" and client and (management adj server) and record\$3 and(storage adj control\$4) and identif\$4 and verify\$3 same transmit\$3	USPAT	OR	ON	2005/11/04 17:11
S56 7	0	@ad<"20001130" and (management adj server) and record\$3 and (storage adj control\$4) and identif\$4 and verify\$3 same transmit\$3	USPAT	OR	ON	2005/11/04 17:11
S56 8	8	@ad<"20001130" and (management adj server) and record\$3 and (storage adj control\$4) and identif\$4 and verify\$3 andtransmit\$3	USPAT	OR	ON	2005/11/04 17:11
S56 9	7	@ad<"20001130" and (management adj server) and record\$3 and (storage adj control\$4) and identif\$4 and verify\$3 and transmit\$3	USPAT	OR	ON	2005/11/04 17:13
S57 0	0	@ad<"20001130" and (management adj server) and record\$3 and (storage adj control\$4) and identif\$4 and verify\$3 and transmit\$3 and (user adj profile)	USPAT	OR	ON	2005/11/04 17:13

EAST Search History

S57 1	0	@ad<"20001130" and (network adj management adj server) and record\$3 and (storage adj control\$4) and identif\$4 and verify\$3 and transmit\$3 and (user adj profile)	USPAT	OR	ON	2005/11/04 17:13
S57 2	0	@ad<"20001130" and (network adj management adj server) and (storage adj control\$4) and identif\$4 and verify\$3 and transmit\$3 and (user adj profile)	USPAT	OR	ON	2005/11/04 17:14
S57 3	0	@ad<"20001130" and (network adj management adj server) and (storage adj control\$4) and identif\$4 and verify\$3 and transmit\$3 and profile	USPAT	OR	ON	2005/11/04 17:14
S57 4	0	@ad<"20001130" and (network adj management adj server) and (storage adj control\$4)	USPAT	OR	ON	2005/11/04 17:15
S57 5	109	@ad<"20001130" and (network adj management adj server)	USPAT	OR	ON	2005/11/04 17:15
S57 6	0	@ad<"20001130" and (network adj management adj server) same (user adj profile) same identify\$4 same verify\$4 same record\$3	USPAT	OR	ON	2005/11/04 17:15
S57 7	0	@ad<"20001130" and (network adj management adj server) same (user adj profile)	USPAT	OR	ON	2005/11/04 17:15
S57 8	4	@ad<"20001130" and (network adj management adj server)and (user adj profile)	USPAT	OR	ON	2005/11/04 17:16
S57 9	0	@ad<"20001130" and (network adj management adj server) and (user adj profile) and identify\$4 same verify\$4 same record\$3	USPAT	OR	ON	2005/11/04 17:16
S58 0	0	@ad<"20001130" and (network adj management adj server) and (user adj profile) and identify\$4 and verify\$4 same record\$3	USPAT	OR	ON	2005/11/04 17:16
S58 1	3	@ad<"20001130" and (network adj management adj server) and identify\$4 and verify\$4 same record\$3	USPAT	OR	ON	2005/11/04 17:20
S58 2	0	@ad<"20001130" and (network adj management adj server) and identify\$4 and verify\$4 same record\$3 and storage	USPAT	OR	ON	2005/11/04 17:16

EAST Search History

S58 3	0	@ad<"20001130" and (network adj management adj server) and identify\$4 and verify\$4 same record\$3 and broadcast	USPAT	OR	ON	2005/11/04 17:16
S58 4	2	@ad<"20001130" and(management adj server)and (broadcast)and (television or tv) and record\$3 and (serial adj number) and identif\$4 and verify\$3	USPAT	OR	ON	2006/11/17 17:01
S58 5	2	@ad<"20001130" and(management adj server)and (broadcast)and (television or tv) and information same record\$3 and (serial adj number) and identif\$4 and verify\$3	USPAT	OR	ON	2005/11/04 17:17
S58 6	52	@ad<"20001130" and (management adj server) and identify\$4 and verify\$4 same record\$3	USPAT	OR	ON	2005/11/04 17:20
S58 7	0	@ad<"20001130" and (management adj server) and identify\$4 and verify\$4 same record\$3 and (storage adj control\$4)	USPAT	OR	ON	2005/11/04 17:21
S58 8	22	@ad<"20001130" and (management adj server) and identify\$4 and verify\$4 same record\$3 and (user adj profile)	USPAT	OR	ON	2005/11/04 17:21
S58 9	9	@ad<"20001130" and (management adj server) and identify\$4 and verify\$4 same record\$3 and (user adj profile) same control\$4	USPAT	OR	ON	2005/11/04 17:23
S59 0	9	@ad<"20001130" and client and (management adj server) and identify\$4 and verify\$4 same record\$3 and (user adj profile) same control\$4	USPAT	OR	ON	2005/11/04 17:24
S59 1	7	@ad<"20001130" and client and (management adj server) and identify\$4 and verify\$4 same record\$3 and (user adj profile) and (information adj control\$3)	USPAT	OR	ON	2005/11/04 17:25
S59 2	22	@ad<"20001130" and client and (management adj server) and identify\$4 and verify\$4 same record\$3 and (user adj profile)	USPAT	OR	ON	2005/11/07 15:52
S59 3	0	@ad<"20001130" and (device adj identif\$4 adj number) same register\$3 same (equipment adj serial adj number)	USPAT	OR	ON	2005/11/07 15:54

EAST Search History

S59 4	0	@ad<"20001130" and (device adj identif\$4 adj number) same register\$3 and (equipment adj serial adj number)	USPAT	OR	ON	2005/11/07 15:54
S59 5	0	@ad<"20001130" and (device adj identif\$4 adj number) and register\$3 and (equipment adj serial adj number)	USPAT	OR	ON	2005/11/07 15:55
S59 6	25	@ad<"20001130" and (device adj identif\$4 adj number) and register\$3	USPAT	OR	ON	2005/11/07 15:55
S59 7	0	@ad<"20001130" and (device adj identif\$4 adj number) and (equipment adj serial adj number)	USPAT	OR	ON	2005/11/07 15:55
S59 8	15	@ad<"20001130" and register\$3 same (equipment adj serial adj number)	USPAT	OR	ON	2005/11/07 15:55
S59 9	14	@ad<"20001130" and register\$3 same (equipment adj serial adj number) and database	USPAT	OR	ON	2005/11/07 15:56
S60 0	0	@ad<"20001130" and register\$3 same (equipment adj serial adj number) and database and filter\$4	USPAT	OR	ON	2005/11/07 15:56
S60 1	0	@ad<"20001130" and register\$3 same (equipment adj serial adj number) and database and filter\$3	USPAT	OR	ON	2005/11/07 15:56
S60 2	10	@ad<"20001130" and register\$3 same (equipment adj serial adj number) and database and server	USPAT	OR	ON	2005/11/07 15:58
S60 3	14	@ad<"20001130" and register\$3 same (equipment adj serial adj number) and database	USPAT	OR	ON	2005/11/07 16:02
S60 4	12	@ad<"20001130" and register\$3 same (equipment adj serial adj number) and database and verif\$4	USPAT	OR	ON	2005/11/07 16:03
S60 5	12	@ad<"20001130" and register\$3 same (equipment adj serial adj number) and database and verif\$4 and control\$3	USPAT	OR	ON	2005/11/08 14:58
S60 6	1	("5629981").PN.	USPAT	OR	OFF	2005/11/08 15:08
S60 7	1	("6745234").PN.	USPAT	OR	OFF	2005/11/08 15:08
S60 8	0	@ad<"20001130" and rule\$1 near (internet adj service) same access same file\$1	USPAT	OR	ON	2006/06/09 18:06

EAST Search History

S60 9	6	@ad<"20001130" and rule\$1 same(internet adj service) same access same file\$1	USPAT	OR	ON	2006/06/11 12:12
S61 0	0	@ad<"20001130" and rule\$1 with(internet adj service) same access same file\$1	USPAT	OR	ON	2006/06/11 12:13
S61 1	0	@ad<"20001130" and (internet adj service) same rule\$1 with access same file\$1	USPAT	OR	ON	2006/06/11 12:13
S61 2	317	@ad<"20001130" and (internet adj service) same access same file\$1	USPAT	OR	ON	2006/06/11 12:13
S61 3	6	@ad<"20001130" and (internet adj service) same access same file\$1 same rule\$1	USPAT	OR	ON	2006/06/11 12:14
S61 4	13	@ad<"20001130" and (internet near service) same access same file\$1 same rule\$1	USPAT	OR	ON	2006/06/11 12:14
S61 5	0	@ad<"20001130" and rule\$1 with (internet near service) same access same file\$1	USPAT	OR	ON	2006/06/11 12:14
S61 6	0	@ad<"20001130" and rule\$1 with (internet near service\$1) same access same file\$1	USPAT	OR	ON	2006/06/11 12:14
S61 7	0	@ad<"20001130" and rule\$1 with (internet near service\$1) same access\$3 same file\$1	USPAT	OR	ON	2006/06/11 12:15
S61 8	0	@ad<"20001130" and (protocol adj file) near rule\$1 same (internet near service\$1)	USPAT	OR	ON	2006/06/11 12:16
S61 9	0	@ad<"20001130" and (protocol adj file) near3 rule\$1 same (internet near service\$1)	USPAT	OR	ON	2006/06/11 12:16
S62 0	0	@ad<"20001130" and (protocol adj file) with rule\$1 same (internet near service\$1)	USPAT	OR	ON	2006/06/11 12:16
S62 1	1	@ad<"20001130" and (protocol adj file) same rule\$1 same (internet near service\$1)	USPAT	OR	ON	2006/06/11 12:17
S62 2	0	@ad<"20001130" and (protocol adj file) same rule\$1 same (internet near service\$1) and access near file\$3	USPAT	OR	ON	2006/06/11 12:18
S62 3	1	@ad<"20001130" and (protocol adj file) same rule\$1 same (internet near service\$1) and access	USPAT	OR	ON	2006/06/11 13:28
S62 4	1	("6,269,403").PN.	USPAT	OR	OFF	2006/06/11 13:28

EAST Search History

S62 5	1	("6,073,124").PN.	USPAT	OR	OFF	2006/06/11 14:47
S62 6	1	("6,711,154").PN.	USPAT	OR	OFF	2006/06/11 15:23
S62 7	1	("6073124").PN.	USPAT	OR	OFF	2006/06/16 15:18
S62 8	0	("clientsameserversamesystemsame (bannerorads)").PN.	USPAT	OR	OFF	2006/06/11 16:04
S62 9	0	client same server same system same (bannerorads)	USPAT	OR	OFF	2006/06/11 16:04
S63 0	84	client same server same system same (banner or ads)	USPAT	OR	OFF	2006/06/11 16:04
S63 1	0	client same server same system same (banner or ads) near (pop adj up or pop-up)	USPAT	OR	OFF	2006/06/11 16:05
S63 2	0	client same server same system same (banner or ads) with (pop adj up or pop-up)	USPAT	OR	OFF	2006/06/11 16:05
S63 3	0	client same server same system same (banner or ads) with ((pop adj up) or pop-up)	USPAT	OR	OFF	2006/06/11 16:05
S63 4	1	client same server same system same (banner or ads) same ((pop adj up) or pop-up)	USPAT	OR	OFF	2006/06/11 16:05
S63 5	3	client same server same(banner or ads) same ((pop adj up) or pop-up)	USPAT	OR	OFF	2006/06/11 16:05
S63 6	1	client same server same (banner or ads) with ((pop adj up) or pop-up)	USPAT	OR	OFF	2006/06/11 16:14
S63 7	3	client same server same (banner or ads) same ((pop adj up) or pop-up)	USPAT	OR	OFF	2006/06/11 16:14
S63 8	0	client same server same sysem same ((internet adj service adj provider) or isp) same (banner or ads) same ((pop adj up) or pop-up)	USPAT	OR	ON	2006/06/11 16:15
S63 9	0	client same server same system same ((internet adj service adj provider) or isp) same (banner or ads) same ((pop adj up) or pop-up)	USPAT	OR	ON	2006/06/11 16:16
S64 0	5	client same server same system same ((internet adj service adj provider) or isp) and (banner or ads) same ((pop adj up) or pop-up)	USPAT	OR	ON	2006/06/11 16:16
S64 1	2	client same server same system same ((internet adj service adj provider) or isp) and (banner or ads) near3 ((pop adj up) or pop-up)	USPAT	OR	ON	2006/06/13 10:35

EAST Search History

S64 2	1	("5708709").PN.	USPAT	OR	OFF	2006/06/13 10:36
S64 3	1	("6272673").PN.	USPAT	OR	OFF	2006/06/15 16:24
S64 4	1	("6370585").PN.	USPAT	OR	OFF	2006/06/15 14:52
S64 5	1	("6370585").PN.	USPAT	OR	OFF	2006/06/15 17:28
S64 6	1	("6078951").PN.	USPAT	OR	OFF	2006/06/15 17:29
S64 7	1	("5900871").PN.	USPAT	OR	OFF	2006/06/15 17:29
S64 8	1	("5682512").PN.	USPAT	OR	OFF	2006/06/16 15:18
S64 9	0	(equiment or device)same receive\$4 same ((television or tv) adj ((broad adj cast\$4) or (multi adj cast\$\$))) and server	USPAT	OR	ON	2006/11/17 17:03
S65 0	0	(equiment or device)same receive\$4 same ((television or tv) adj ((broad adj cast\$4) or (multi adj cast\$\$))) and server	US-PGPUB; USPAT	OR	ON	2006/11/17 17:03
S65 1	1	(equiment or device)same receive\$4 same ((television or tv) adj ((broad adj cast\$4) or (multi adj cast\$\$)))	US-PGPUB; USPAT	OR	ON	2006/11/17 17:03
S65 2	33	(equiment or device)same receive\$4 same information same ((transmit\$4 or transfer\$4 or send\$4 or forward\$4) adj (manage\$4 adj server))	US-PGPUB; USPAT	OR	ON	2006/11/17 17:04
S65 3	33	(equiment or device)same receive\$4 same information same ((transmit\$4 or transfer\$4 or send\$4 or forward\$4) adj (manage\$4 adj server))	US-PGPUB; USPAT	OR	ON	2006/11/17 17:07
S65 4	1	@ad<"20001120" and (equiment or device)same receive\$4 same information same ((transmit\$4 or transfer\$4 or send\$4 or forward\$4) adj (manage\$4 adj server))	US-PGPUB; USPAT	OR	ON	2006/11/17 17:08
S65 5	41	@ad<"20001120" and (equiment or device)same receive\$4 same information same ((transmit\$4 or transfer\$4 or send\$4 or forward\$4) same (manage\$4 adj server))	US-PGPUB; USPAT	OR	ON	2006/11/17 17:08

EAST Search History

S65 6	9	@ad<"20001120" and (equiment or device)same receive\$4 same information same ((transmit\$4 or transfer\$4 or send\$4 or forward\$4) near4 (manage\$4 adj server))	US-PGPUB; USPAT	OR	ON	2006/11/17 17:08
S65 7	7	@ad<"20001120" and (equiment or device)same receive\$4 same information same ((transmit\$4 or transfer\$4 or send\$4 or forward\$4) near3 (manage\$4 adj server))	US-PGPUB; USPAT	OR	ON	2006/11/17 17:08
S65 8	0	protocol adj engine same operable same (concurrently or simult\$4)	USPAT	OR	ON	2007/04/24 15:08
S65 9	0	(protocol adj engine) same operable same (concurrently or simult\$4)	US-PGPUB; USPAT	OR	ON	2007/04/26 16:39
S66 0	0	(protocol adj engine) same operable same concurrent	US-PGPUB; USPAT	OR	ON	2007/04/24 15:09
S66 1	0	(protocol adj3 engine) same operable same concurrent	US-PGPUB; USPAT	OR	ON	2007/04/24 15:09
S66 2	33103	(protocol adj3 engine) same concurrent or sim	US-PGPUB; USPAT	OR	ON	2007/04/24 15:10
S66 3	14	(protocol adj3 engine) same concurrent	US-PGPUB; USPAT	OR	ON	2007/04/24 15:10
S66 4	12	(protocol adj engine) same concurrent	US-PGPUB; USPAT	OR	ON	2007/04/24 15:31
S66 5	26	(protocol adj engine) same concurrent\$3	US-PGPUB; USPAT	OR	ON	2007/04/24 17:44
S66 6	0	(protocol adj engine) same operable same concurrent\$3	US-PGPUB; USPAT	OR	ON	2007/04/24 15:33
S66 7	1	"20030182143"	US-PGPUB; USPAT	OR	ON	2007/04/24 17:42
S66 8	26	(protocol adj engine) same (concurrent\$3 or simultanious\$3)	US-PGPUB; USPAT	OR	ON	2007/04/24 17:44
S66 9	0	(protocol adj engine) same operable same (concurrent\$3 or simultanious\$3)	US-PGPUB; USPAT	OR	ON	2007/04/24 17:44
S67 0	15	(protocol adj engine) same (operable or work\$4 or run\$4 or process\$4) same (concurrent\$3 or simultanious\$3)	US-PGPUB; USPAT	OR	ON	2007/04/26 10:12
S67 1	7	(@ad<"20021105" or @rlad<"20021105") and (protocol adj engine) same (operable or work\$4 or run\$4 or process\$4) same (concurrent\$3 or simultanious\$3)	US-PGPUB; USPAT	OR	ON	2007/04/24 17:47
S67 2	37	"6697824"	USPAT	OR	OFF	2007/04/24 18:02

EAST Search History

S67 3	19	"6772139"	USPAT	OR	OFF	2007/04/25 10:48
S67 4	1	("6678731").PN.	USPAT	OR	OFF	2007/04/25 10:48
S67 5	1	("6772139").PN.	USPAT	OR	OFF	2007/04/26 10:39
S67 6	1	("20030014320").PN.	US-PGPUB; USPAT	OR	OFF	2007/04/26 10:49
S67 7	0	(network adj management) same transmit\$4 same verif\$4 same determin\$4 same ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/04/26 16:42
S67 8	0	(network adj management) same transmit\$4 same verif\$4 same ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/04/26 16:42
S67 9	8	(network adj management) and transmit\$4 same verif\$4 same ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/04/26 16:43
S68 0	31	transmit\$4 same verif\$4 same ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/04/26 16:44
S68 1	0	transmit\$4 same verif\$4 near4 ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/04/26 16:44
S68 2	0	transmit\$4 same verif\$4 near5 ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/04/26 16:44
S68 3	31	transmit\$4 same verif\$4 same ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:28
S68 4	3	transmit\$4 same determin\$4 same verif\$4 same ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:30
S68 6	0	transmit\$4 same determin\$4 near verif\$4 near ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:32
S68 7	0	transmit\$4 same determin\$4 near3 verif\$4 near3 ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:32
S68 8	0	transmit\$4 same determin\$4 same verif\$4 near3 ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:33
S68 9	0	transmit\$4 and determin\$4 same verif\$4 near3 ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:33
S69 0	26	transmit\$4 and determin\$4 same verif\$4 same ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:34
S69 1	0	transmit\$4 near verif\$4 same ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:34

EAST Search History

S69 2	0	transmit\$4 near3 verif\$4 same ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:34
S69 3	2	transmit\$4 near4 verif\$4 same ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:36
S69 4	0	transmit\$4 and verif\$4 near3 ((sign-up) or (sign adj up))same executed	US-PGPUB; USPAT	OR	ON	2007/05/02 16:36
S69 5	0	verif\$4 near3 ((sign-up) or (sign adj up))same executed	US-PGPUB; USPAT	OR	ON	2007/05/02 16:36
S69 6	14	verif\$4 near3 ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:36
S69 7	1420672	transmit\$4 adn verif\$4 near3 ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:37
S69 8	4	transmit\$4 and verif\$4 near3 ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:39
S69 9	4	transmit\$4 and verif\$4 near4 ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:39
S70 0	547	transmit\$4 and verif\$4 near4 ((sign-up) or (sign adj up) or (login) or (log adj in))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:40
S70 1	182	transmit\$4 and verif\$4 near ((sign-up) or (sign adj up) or (login) or (log adj in))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:40
S70 2	29	transmit\$4 same verif\$4 near ((sign-up) or (sign adj up) or (login) or (log adj in))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:42
S70 3	5	transmit\$4 near3 verif\$4 near ((sign-up) or (sign adj up) or (login) or (log adj in))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:43
S70 4	0	transmit\$4 near3 verif\$4 near ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:43
S70 5	220	verif\$4 same ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:43
S70 6	6	verif\$4 near ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:44
S70 7	1	(@ad<"20001130" and @rlad<"20001130") and verif\$4 near ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:46
S70 8	1	(@ad<"20001130" and @rlad<"20001130") and verif\$4 near3 ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:46
S70 9	1	(@ad<"20001130" and @rlad<"20001130") and verif\$4 near4 ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:46

EAST Search History

S71 0	12	(@ad<"20001130" and @rlad<"20001130") and verif\$4 same ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:48
S71 1	1	(@ad<"20001130" and @rlad<"20001130") and verif\$4 with ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:48
S71 2	12	(@ad<"20001130" and @rlad<"20001130") and verif\$4 same ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:49
S71 3	2028	(@ad<"20001130" and @rlad<"20001130") and verif\$4 same ((sign-up) or (sign adj up or regist\$4))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:50
S71 4	2024	(@ad<"20001130" and @rlad<"20001130") and verif\$4 same ((sign-up) or (sign adj up) or register\$4)	US-PGPUB; USPAT	OR	ON	2007/05/02 16:50
S71 5	290	(@ad<"20001130" and @rlad<"20001130") and verif\$4 near3 ((sign-up) or (sign adj up) or register\$4)	US-PGPUB; USPAT	OR	ON	2007/05/02 16:56
S71 6	1	(@ad<"20001130" and @rlad<"20001130") and verif\$4 near3 ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:53
S71 7	2024	(@ad<"20001130" and @rlad<"20001130") and verif\$4 same ((sign-up) or (sign adj up) or register\$4)	US-PGPUB; USPAT	OR	ON	2007/05/02 16:57
S71 8	12	(@ad<"20001130" and @rlad<"20001130") and verif\$4 same ((sign-up) or (sign adj up))	US-PGPUB; USPAT	OR	ON	2007/05/02 16:57